



# BORIC ACID

## ROACH POWDER

### KILLS ROACHES, ANTS AND SILVERFISH

**ACTIVE INGREDIENT:**

Boric Acid .....100.0%

**KEEP OUT OF REACH OF CHILDREN CAUTION**

**Read Entire Label Before Using This Product**

**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN or CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

EPA EST. NO. 829-FL-1 (3) 829-NC-1(4) 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on bottom of bag.

Distributed by:

## Southern Agricultural Insecticides, Inc.

Palmetto, Fla. 34220 Hendersonville, N.C. 28793 Boone, N.C. 28607

E.P.A. Reg. No. 19713-20206-829 J3 **Net Weight: 3 lbs.(1.36 kg)**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDEA) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board of Regional Office of the EPA.

**USE RESTRICTIONS**

Children and pets should not be in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **To control Cockroaches, Ants and Silverfish:** Apply liberally, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs; into openings around drains, water pipes, and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets

Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

**Directions for applying in new construction to control cockroaches.** When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

**Directions for applying as a mop solution to control cockroaches.** Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only.

This product may be used in homes, restaurants and other food and feed handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, trucks, yachts, camps, mobile homes, busses, zoos, kennels, military bases, libraries, utilities and sewers.

**CRACK AND CREVICE TREATMENT**

**Food and Feed Handling Establishments:** Places other than private residences in which food or feed is held, processed, prepared or served.

**Food Area Application Limited to Crack and Crevice Treatment Only:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving Areas (when food is exposed and facility is in operation) also would be considered a food area. Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide

**(Directions for Use Continued)**

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Application of this product in the food areas of food handling establishments other than as a crack and crevice treatment are not permitted.

**Serving Areas:** Facilities where prepared foods are served, such as dining rooms, but excluding areas where food may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or foods are exposed.

**Non-Food Areas:** Include garbage rooms, lavatories, floor drains (to sewer and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store pesticide in the original container in a locked storage area.

**PESTICIDE DISPOSAL:** If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.

**WARRANTY-CONDITION OF SALE:** Our recommendations for use of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. In no case shall Southern Agricultural or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Southern Agricultural Insecticides, Inc. and is accepted as such by the Buyer.

