



CHELATED

LIQUID IRON

FOR THE CORRECTION AND PREVENTION OF FOLIAGE YELLOWING DUE TO IRON DEFICIENCY OF FLOWERS, SHRUBS, TREES, VEGETABLES, AND LAWNS.

GUARANTEED ANALYSIS:

Sulfur as (S)	3.40%
3.40% Combined Sulfur (S)	
Total Iron as (Fe)	5.00%
5.00% Water Soluble Iron (Fe)	
3.50% Chelated Iron as (Fe)	


**Turns yellowing grass
& plants green again!**
Treats up to 16,000 square feet.

DERIVED FROM: Iron Sulfate, Iron Lignin Sulfonate


Chelating agent is Lignin Sulfonate

Guaranteed by: Southern Ag. Ins., Inc. P.O. Box 218 Palmetto, FL 34220

Additional precautionary statements and the specific directions for use of this product are located inside of label. Follow directions on side of label to open



Lot No.



Southern Agricultural Insecticides, Inc.

PALMETTO, FL. 34220
F672

HENDERSONVILLE, N.C. 28793
J7

BOONE, N.C. 28607
Net Wt.: 9lbs. 13 ozs

Net Contents Liquid: 1 Gallon (3.785 liters)

CAUTION
KEEP OUT OF REACH
OF CHILDREN

Avoid contact with skin and eyes.
Avoid breathing spray mist.
Do not take internally.

THIS PRODUCT WILL SEVERELY STAIN CONCRETE, MASONRY, AND PAINTED SURFACES.

Be extremely careful not to allow spray or runoff to contact with these materials. Do not mix with other fertilizers, fungicides or insecticides unless compatibility is known.

FIRST AID

IF SWALLOWED: Drink 2 glasses of water or milk and seek medical attention.

EYE OR SKIN CONTACT: Flush thoroughly with a large volume of water. If irritation persists seek medical attention.

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.html>

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, and back onto your lawn/garden.

(continued on next page)

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING.

Chelated Liquid Iron corrects and prevents yellowing due to iron deficiency of ground covers, shrubs, fruit trees, vines, vegetables and lawns.

Apply with a hose end, powered, backpack, hose siphon or pump up type garden sprayer.

APPLICATION TO PLANT LEAVES:

Apply at 1 Tablespoon (1/2 ounce) per gallon of water on younger and sensitive plants such as flowering ground covers and vegetables. Apply at 1 ounce per gallon of water on hardy woody landscape plants and trees.

SOIL OR LAWN APPLICATION:

Apply at 4 ounces per 500 square feet in 1 gallon of water or more. (8 ounces per 1,000 square feet).

500 square feet = 20 feet x 25 feet 1 acre = 43,560 square feet

Note: Iron deficiency in many plants is an indication of high pH or alkaline soil. If yellowing persists or returns rapidly after treatment, soil pH should be checked and adjusted if necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions and precautions given herewith.

For information or questions contact our website at Southernag.com or email us at support@southernag.com