



LIMITED USE (Non WPS)

SA-20 DISINFECTANT

PULL
DOWN
SLOWLY

Cleaner - Deodorizer - Fungicide - Mildewstat - Sanitizer - Virucide*

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride 10.0%
Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chloride ... 10.0%

OTHER INGREDIENTS: 80.0%
TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

SEE INSIDE OF LABEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.


IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Distributed By: **Southern Agricultural Insecticides, Inc.**
EPA Reg. No. 10324-94-829 P.O. Box 218, Palmetto, FL 34220 EPA Est. No. 829-FL-1
A18

Net Contents: 1 Gallon (3.785 liters) 2.5 Gallons (9.46 liters) 30 Gallons (113.56 liters)
Made in the USA



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

GENERAL DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 1.5 oz. per 5 gal. of water (469 ppm active) and 5% soil on hard, non-porous surfaces: *Campylobacter jejuni*, *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Proteus mirabilis*, *Salmonella enterica*, *Staphylococcus aureus*, *Staphylococcus aureus* Methicillin Resistant (MRSA), *Yersinia enterocolitica*.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces: *Botrytis cinerea*, *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterococcus faecium*, *Escherichia coli* O157:H7, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Proteus mirabilis*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella typhi*, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* (Methicillin Resistant) (MRSA), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA MRSA), *Yersinia enterocolitica*.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces:

Avian Influenza A (H5N1) Virus Avian Influenza A/Turkey/Wisconsin Virus (VR-798) Hepatitis B Virus (HBV) Hepatitis C Virus (HCV) Herpes Simplex Type 1 Virus (VR-260) Herpes Simplex Type 2 Virus (VR-734) Human Coronavirus (VR-740)	Human Immunodeficiency Virus Type 1‡ (HIV-1) Influenza A (H1N1) Virus Influenza A2/Japan Virus (VR-100) Vaccinia Virus. ‡Indicates a 2-minute contact time is required for this claim.
---	--

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces:

Avian Influenza A (H5N1) Virus	Infectious Bronchitis Virus (Strain Beaudette IB42)
Avian influenza A/Turkey/Wisconsin Virus (VR-798)	Infectious Laryngotracheitis Virus (Strain LT-IVAX)
Avian Reovirus (VR-2449)	Newcastle Disease Virus (VR-109)
Bovine Viral Diarrhea Virus (VR-534)	Porcine Respiratory & Reproductive Virus (USDA Reference Virus) (PRRSV)
Canine Coronavirus (VR-809)	Porcine Rotavirus (VR-893)
Canine Distemper Virus (USDA Reference Virus)	Pseudorabies Virus (VR-135)
Equine Arteritis Virus (VR-796)	Transmissible Gastroenteritis Virus (TGE)
Infectious Bovine Rhinotracheitis Virus (IBR) (VR-188)	

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton mentagrophytes* (Athlete's foot fungus) (a cause of Ringworm).

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 2 oz. per 5 gal. of water (625 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.

NON-FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes at 0.5 oz. per 4 gal. of water (200 ppm active) and 5% soil on hard, non-porous surfaces: *Staphylococcus aureus*, *Enterobacter aerogenes*.

FOOD CONTACT SURFACE SANITIZING PERFORMANCE: This product is an effective food contact sanitizer in 1 minute at 0.5 oz. per 4 gal. of 500 ppm hard water (200 ppm active) on hard, non-porous surfaces: *Aeromonas hydrophila*, *Campylobacter jejuni*, *Clostridium perfringens*, *Enterobacter sakazakii*, *Enterococcus faecalis* (Vancomycin Resistant) (VRE), *Escherichia coli*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, *Listeria monocytogenes*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Streptococcus pyogenes*, *Yersinia enterocolitica*.

This product is for use on hard, non-porous surfaces in:

- Kitchens, bathrooms and other household areas
- Basements, cellars, bedrooms, attics, garages, living rooms, and porches
- Laundry, washing machines, clothes washing machines
- Bathrooms, restrooms, shower rooms, shower and bath areas
- Automobiles, cars, trucks, campers, RV's, trailers, boats
- Commercial florist and flower shops
- Breakrooms
- Farmhouses, barns, sheds, tool sheds: cattle, swine, sheep, or horse barns, pens and stalls: swine quarters
- Equine quarters, hog, cattle and horse operations, livestock farms, farm vehicles

This product, when used as directed, can be used to disinfect, clean, sanitize, and deodorize hard, non-porous surfaces such as:

- Countertops, counters, countertop laminates, stovetops, bathroom and kitchen sinks, tub surfaces, shelves, racks, carts, appliances, refrigerators, microwave ovens, dishes, glassware, silverware, cooking utensils, eating utensils, plastic and other non-porous cutting boards, plastic and other hard, non-porous chopping blocks
- Coolers, ice chests, refrigerator bins used for meat, vegetables, fruit and eggs
- Floors, finished floors, walls, ceilings, fixtures
- Glass surfaces, aluminum, brass, copper, laminated surfaces, metal, plated steel, stainless steel, chrome
- Glazed porcelain, glazed restroom tile, glazed restroom ceramic, sealed granite, sealed marble, plastic such as polycarbonate, polyvinylchloride, polystyrene or polypropylene, sealed limestone, sealed slate, sealed stone, sealed terra cotta, sealed terrazzo
- Enameled surfaces, painted finished woodwork, vinyl and plastic upholstery, washable wallpaper, windows, mirrors, painted surfaces
- Hard, non-porous surfaces of picnic tables and outdoor furniture
- Shower stalls, shower doors and curtains, bathtubs and glazed tiles, chrome plated intakes, toilets, toilet seats, toilet bowls, toilet bowl surfaces, urinals, portable and chemical toilets and latrine buckets, vanity tops, and restroom fixtures, bathroom fixtures, bathroom bowls, basins, tubs
- Tables, chairs, desks, folding tables, bed frames, lifts, washable walls, cabinets, doorknobs and garbage cans/pails, trash barrels, trash cans, trash containers, industrial waste receptacles and garbage handling equipment, shelves, racks and carts, door knobs and handles
- Automobile interiors, mats, crates, cabs, and wheels
- Kennel runs, cages, kennel/cage floors
- Water and Smoke Damage Restoration (Not for use in CA)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rinse hard, non-porous food contact surfaces with potable water after application of product.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

DILUTION TABLE

Use	Dilution	Contact Time
For Broad Spectrum Disinfectant claims	1.5 oz. /5 gal. water	10 minutes
For Virucidal* claims	2 oz. /5 gal. water	10 minutes
For Fungicidal claims	2 oz. /5 gal. water	10 minutes
For Mold and Mildew claims	2 oz. /5 gal. water	Up to 7 Days

GENERAL DISINFECTION

FOR USE AS A GENERAL DISINFECTANT ON HARD, NON-POROUS SURFACES:

1. Pre-clean heavily soiled areas. 2. Apply use solution of 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution) (469 ppm active) to hard, non-porous surfaces using a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. 5. Prepare a fresh solution daily or when visibly dirty.

HOSPITAL/HEALTH CARE/MEDICAL/NON-MEDICAL

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE*: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 2 oz. of this product per 5 gal. of water (or equivalent use dilution) (625 ppm active) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surface to remain wet for 2 minutes to kill HIV and for 10 minutes to kill all other viruses and bacteria listed on the label.

FUNGICIDAL/MOLD/MILDEW

TO KILL FUNGI: Pre-clean hard, non-porous surfaces. Prepare use solution by adding 2 oz. of this product per 5 gal. of water (or equivalent dilution). Apply use solution to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces (and let air dry).

TO CONTROL MOLD/MILDEW: Pre-clean hard, non-porous surfaces. Prepare use solution by adding 2 oz. of this product per 5 gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

DEODORIZATION/CLEANING

FOR USE AS A CLEANER: Prepare use solution of 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution) and apply to hard, non-porous surfaces. Allow to air dry. For heavy-duty use, add 3 oz. of this product per 5 gal. of water to clean hard, non-porous surfaces.

GENERAL DEODORIZATION: To deodorize, apply 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Allow to air dry.

WATER AND SMOKE DAMAGE RESTORATION

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRY-WALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING (Not for use in CA.): To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 0.5 to 1 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device, coarse pump or trigger spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly.

WATER AND SMOKE DAMAGE RESTORATION (Not for use in CA.): Effective against odor caused by smoke and water damage for home, institutional, industrial and hospital use. This product is particularly suitable for use in water damage restoration. Dilute 0.5 to 1 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

ALGAE TREATMENT (Not for use in CA.)

BIRD BATHS (Not for use in CA.): DO NOT use when fish are present. Clean to remove algae growth prior to filling birdbath and spray the exposed surface with a solution of 0.25 oz. (1 tbsp.) of this product per gallon of water. Allow to air dry and brush off dead algae.

WALKWAYS (Not for use in CA.): This product will inhibit the growth of algae on hard, non-porous walkways. For heavy infestations, spray or swab surface with a solution of 1.5 oz. of this product per 5 gallons of water (or equivalent use dilution). Let stand for an hour or more then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to dry on the surface and repeat application when algae growth returns. For sprayer applications, use as a coarse spray only. Allow surfaces to remain wet for 10 minutes then air dry. Prepare a fresh solution daily or when visibly dirty.

GREENHOUSE GLASS (Not for use in CA.): Spray or swab hard, non-porous surfaces with a solution of 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution). Allow to air dry. Wash off dead algae with water. Spray clean surface again with the solution. Do not rinse. For sprayer applications, use as a coarse spray only. Allow surfaces to remain wet for 10 minutes then air dry. Prepare a fresh solution daily or when visibly dirty.

HOUSEPLANT AND GARDENING CONTAINERS AND EQUIPMENT (Not for use in CA.): To control algae and cross contamination in terrariums, bubbles, and other hard, non-porous gardening surfaces, wipe surface with a solution of 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution). Allow surfaces to remain wet for 10 minutes then air dry. Prepare a fresh solution daily or when visibly dirty.

ANIMAL PREMISES

Prior to use of this product, remove all animals and feeds from areas to be treated, animal transportation vehicles and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 2 oz. of this product per 5 gal. of water (or equivalent use dilution) (625 ppm active). Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

SANITIZATION

FOOD CONTACT SURFACE SANITIZING DIRECTIONS

Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

FOOD CONTACT SURFACE SANITIZING PERFORMANCE DIRECTIONS (REGULATED BY 40 CFR 180.940(a)(c)): Immerse pre-cleaned glassware, dishes, silverware, cooking utensils and other similar size food processing equipment in a solution of 0.5 oz. of this product per 4 gal. of water (200 ppm active quat) (or equivalent use dilution) for at least 1 minute. Allow sanitized surfaces to adequately drain and then air dry before contact with food. Do not rinse. For articles too large for immersing, apply a use solution of 0.5 oz. of this product per 4 gal. of water (200 ppm active quat) (or equivalent use dilution) to sanitize hard, non-porous food contact surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Surfaces must remain wet for at least 1 minute. Allow sanitized surfaces to adequately drain and then air dry before contact with food. Do not rinse. Prepare a fresh solution daily or when visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

⑦

SANITIZATION OF INTERIOR HARD, NON-POROUS SURFACES OF REVERSE OSMOSIS (RO) UNITS

Reverse Osmosis (RO) Units - Sanitization must occur after initial installation, after the system is serviced and periodically during its use.

1. Turn off RO system, drain storage tank and remove membrane element and pre-filters. Put membrane element in a plastic bag so it remains wet. Do not use this product to sanitize the membrane element. Membrane element must be sterilized separately.
2. Tank must be washed with a compatible detergent and rinsed with potable water before sanitizing. (**Note:** Use this direction only if applicable.)
3. Fill empty pre-filter housing with a solution of 0.5 oz. of this product per 4 gal. of water (or equivalent use dilution) and turn on raw water. **Note:** Standard system capacity is 1 to 2 gal.
4. After holding tank is full, let system stand idle for a minimum of 1 minute. Turn off water. Drain holding tank.
5. Before the system is put back into service, flush system with potable water to assure sanitizing solution is rinsed thoroughly from system. Return unit to normal operation. Follow the manufacturer's directions for re-installation of new pre-filters, membrane element and post filter.

GLOVE DIP/SPRAY SANITIZER DIRECTIONS: To prevent cross contamination on treated surfaces from area to area, dip, soak or spray pre-washed plastic, latex, or other synthetic non-porous gloves thoroughly to ensure sanitizing solution covers the exterior surfaces of the gloves prior to usage. For spray applications, use a coarse spray device. Do not let sanitizing solution come into contact with exposed skin. After applying solution, allow gloves to remain wet for at least 1 minute. Let air dry thoroughly before wearing gloves. Do not rinse. Prepare sanitizing solution by adding 0.5 oz. of this product per 4 gal. of water. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean heavily soiled surfaces. Add 0.5 oz. of this product to 4 gal. of water (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 3 minutes. Prepare a fresh solution daily or when visibly dirty.

SHOE, BOOT, ENTRYWAY BATH SANITIZER DIRECTIONS: To prevent cross contamination on treated surfaces area to area in entryways, shoe baths containing one inch of freshly made sanitizing solution must be placed at all entrances to buildings, hatcheries and at all the entrances to the production and packaging rooms. Scrape waterproof shoes and place in a 0.13 oz. of this product per gal. of water use solution, or allow to remain wet for 3 minutes prior to entering area. Prepare a fresh solution daily or when visibly dirty.

SANITIZATION OF HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Add 0.5 oz. of this product to 4 gal. of water. Gently mix for uniform solution. Apply solution to surfaces of the respirator with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Thoroughly wet surfaces to be sanitized. Treated surfaces must remain wet for 3 minutes. Remove excess solution from equipment prior to storage. Prepare a fresh solution daily or when visibly dirty.

SANITIZATION OF EXTERIOR HOUSEHOLD SURFACES DIRECTIONS

PREPARATION OF USE SOLUTION: Apply a use solution of 0.13 oz. of this product per gal. of water, or equivalent use dilution, to sanitize hard, non-porous exterior surfaces such as vinyl, plastic, sealed concrete, painted or sealed woodwork, and sealed stucco. Surfaces to be treated include house siding, decks, patios, walkways and driveways. One-half gal. of diluted product will treat 200-300 sq. ft. of hard, non-porous surfaces.

APPLICATION: Pre-clean heavily soiled areas. Apply solution with a brush, mop, cloth, sponge, mechanical spray device, hand pump trigger spray device, or with a low-pressure (less than 60 psi) airless sprayer so as to wet surfaces thoroughly. For sprayer applications, spray 6 inches to 8 inches from surface. Do not breathe spray. If using a pressure washer with high-pressure spray to sanitize hard, non-porous surfaces, wear suitable respiratory protective equipment and protective eyewear to control exposure to spray. Treated surfaces must remain wet for 3 minutes.

OTHER USES

WORK AREAS AND BENCHES, POTS, FLATS AND FLOWER BUCKETS, CUTTING TOOLS: Pre-clean surfaces. Spray or swab hard, non-porous working surfaces with a solution of 1.5 oz. of this product per 5 gal. of water (or equivalent use dilution) before each work period and again after each plant is completed to help control transfer of diseases such as *Botrytis*, crown rot, downy mildew, *Erwinia* and root rot †. Allow surface to remain wet for 10 minutes. To apply solution as a sprayer application, use as a coarse spray only and spray 6-8 inches from surface. Do not breathe spray. Wipe up excess liquid or allow to air dry. Prepare a fresh solution daily or when visibly dirty. (†Not for use in CA.)

TREATMENT OF LAWNS, GOLF COURSES (Greens and Tees only): (Use against dollar spot (*Sclerotinia*), fusarium blight (*Fusarium*), Southern blight (*Sclerotium rolfsii*), rust, toad stools and fairy rings not allowed in CA.)

To control fungal diseases including dollar spot (*Sclerotinia*), fusarium blight (*Fusarium*), leaf spot (*Helminthosporium*), brown patch (*Rhizoctonia*), fading out (*Curvularia*), Southern blight (*Sclerotium rolfsii*), pythium blight, rust, toad stools and fairy rings and algal build-up for golf course greens and tees, maximum application is 0.8 lbs. A.I./acre (200 ppm).

Following the application instructions, spray a solution of 0.5 oz. of this product per 4 gal. of water (200 ppm). Treat at a rate of one gal. of solution to 90 sq. ft. (9 ft. x 10 ft.) of turf. If commercial power sprays are used, reduce spray concentration to 1 tsp. of this product per gal. of water (0.5 pint to 50-100 gal. of spray mixture to treat 10,000 square feet or 0.25 acres) (1.6 oz. per 1,000 sq. ft.) (0.5 gal. per acre).

Do not graze treated areas or feed clippings to livestock. Do not exceed treatment of 10 acres (2,000 gal.) with retreatment at 10-day intervals not to exceed 6 treatments per year.

TREATMENT OF TURF: Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. (Use against dollar spot (*Sclerotinia*), fusarium blight (*Fusarium*), Southern blight (*Sclerotium rolfsii*), rust, toad stools and fairy rings not allowed in CA.)

To control fungal diseases including dollar spot (*Sclerotinia*), fusarium blight (*Fusarium*), leaf spot (*Helminthosporium*), brown patch (*Rhizoctonia*), fading out (*Curvularia*), Southern blight (*Sclerotium rolfsii*), pythium blight, rust, toad stools and fairy rings and algal build-up in turf grasses, including lawns of grass or Dichondra, spray a solution of 0.5 oz. of this product per gal. of water to treat 50 square feet (5 ft. x 10 ft.) of lawn. Treat entire lawn to prevent spread of infection at least one foot beyond the edges of isolated diseased areas. Saturate the entire treatment area, wetting all plant and soil surfaces. Repeat spray applications every 10 - 14 days, as needed to control new or established disease conditions. Treatment is required during the warm growing season and must be made when the lawn is dry or damp, but not during wet rainy weather.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: *For non-refillable containers equal to or less than 5 gal.* Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For non-refillable containers greater than 5 gal. Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

WARRANTY STATEMENT

CONDITIONS OF SALE AND WARRANTY: Follow the Directions for Use. Southern Agricultural Insecticides, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) SOUTHERN AGRICULTURAL INSECTICIDES, INC. MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND SOUTHERN AGRICULTURAL INSECTICIDES, INC. AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) SOUTHERN AGRICULTURAL INSECTICIDES, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Southern Agricultural Insecticides, Inc. and the seller offer this product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Southern Agricultural Insecticides, Inc.