# SOLUBLE FERTILIZER PLUS MINORS

GUARANTEED ANALYSIS:	BY WT.
TOTAL NITROGEN (N)	
Nitrate Nitrogen (N)	
Ammoniacal Nitrogen (N)	4.00%
Urea Nitrogen (N)	0.00%
AVAILABLE PHOSPHORIC ACID (P205)	15.00%
SOLUBLE POTASH (K <sub>2</sub> O)	
Chlorine - not more than 1.00%	
Boron as (B)	. 0.02%
0.02% Soluble Boron as B	
Copper as (Cu)	. 0.05%
0.05% Chelated Copper as Cu	
Iron as (Fe)	. 0.10%
0.10% Chelated Iron as Fe	
Manganese as (Mn)	0.05%
0.05% Chelated Manganese as Mn	
Molybdenum as (Mo)	0.0005%
Sulfur as (S)6.00%	
6.00% Combined Sulfur as S	
Zinc as (Zn)	. 0.05%
0.05% Chelated Zinc as Zn	

5 0 <u>(</u>G

PLANT NUTRIENTS DERIVED FROM: Mono Ammonium Phosphate, Potassium Nitrate, Potassium Sulfate, Ammonium Sulfate.Sodium Borate, Cupric Disodium EDTA, Ferric Sodium EDTA, Manganous Sodium EDTA, Sodium Molybdate. Zinc Sodium EDTA, EDTA - Ethylenediaminetetraacetate

GUARANTEED BY: Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, FL 34220

#### **SPRAY APPLICATION:** FOR FOLIAR FEEDING, DO NOT EX-CEDE 5 LB. PER 100 GAL. OF SPRAY

### CAUTION: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed. Avoid breathing dust, and contact with skin, eyes and clothing. If ingested, give two glasses of water, induce vomiting and call a physician. If in eyes or on skin flush with water. If on clothing, launder before reuse. Wash thoroughly after handling.

## **USE PRECAUTIONS**

This material is compatible with most insecticides and fungicides. Do not use in combination with Bordeaux, lime, highly alkaline materials or nutritional calcium sprays. If compatibility is not known, test on small area before use.

Timing, method and rates of application, differences in plant varieties, growing conditions and other influencing factors are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material.

#### Agricultural Insecticides, Inc. Hendersonville, NC 28793 Boone, NC 28607 Southern Palmetto, FL 34220

F672

.13

Net Weight: 25 lbs. (11.34 kg)

LOT NO.