

S A SOUTHERN**50 AG®****20-05-30****SOLUBLE FERTILIZER PLUS MINORS**

GUARANTEED ANALYSIS	BY WT.
TOTAL NITROGEN (N)	20.0%
9.1% Nitrate Nitrogen (N)	
0.9% Ammoniacal Nitrogen (N)	
10.0% Urea Nitrogen (N)	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	5.0%
SOLUBLE POTASH (K ₂ O)	30.0%
Boron (B)	0.02%
0.02% Soluble Boron as(B)	
Chlorine not more than 1.0%	
Copper (Cu)	0.05%
0.05% Chelated Copper as (Cu)	
Iron (Fe)	0.10%
0.10% (Chelated) Iron as (Fe)	
Manganese (Mn)	0.05%
0.05% Chelated Manganese as (Mn)	
Molybdenum (Mo)	0.0005%
0.0005% Molybdenum as (Mo)	
Zinc (Zn)	0.05%
0.05% Chelated Zinc as (Zn)	

PLANT NUTRIENTS DERIVED FROM: : Potassium Nitrate, Ammonium Phosphates, and Urea.
 Ferric Sodium EDTA, Zinc Sodium EDTA, Manganous Sodium EDTA, Cupric Disodium EDTA, Sodium Borate,
 Sodium Molybdate. EDTA - Ethylenediaminetetraacetate **ARTIFICIALLY COLORED**
GUARANTEED BY: Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, FL 34220

CAUTION: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed. Avoid breathing dust, and contact with skin, eyes and clothing. If ingested, give two glasses of water, induce vomiting and call a physician. If in eyes or on skin flush with water. If on clothing, launder before reuse. Wash thoroughly after handling.

USE PRECAUTIONS

This material is compatible with most insecticides and fungicides. Do not use in combination with Bordeaux, lime, highly alkaline materials or nutritional calcium sprays. If compatibility is not known, test on small area before use.

Timing, method and rates of application, differences in plant varieties, growing conditions and other influencing factors are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material.

Southern Agricultural Insecticides, Inc.

P.O. BOX 218

Palmetto, FL 34220

F 672

P.O. BOX 429

Hendersonville, NC 28793

P.O. BOX 85

Boone, NC 28607

J2

Net Weight: 25 lbs.