



CHELATED

LIQUID IRON

FOR THE CORRECTION AND PREVENTION OF FOLIAGE
YELLOWING DUE TO IRON DEFICIENCY OF FLOWERS,
SHRUBS, TREES, VEGETABLES, AND LAWNS.

GUARANTEED ANALYSIS:

Sulfur as (S) 3.40%
3.40% Combined Sulfur (S)
Total Iron as (Fe) 5.00%
1.50% Water Soluble Iron (Fe)
3.50% Chelated Iron as (Fe)

DERIVED FROM: Iron Sulfate
Chelating agent is Lignin Sulfonate

CAUTION

KEEP OUT OF REACH OF CHILDREN
Avoid contact with skin and eyes.
Avoid breathing spray mist.
Do not take internally.



Guaranteed by:

Southern Agricultural Insecticides, Inc.

P.O. BOX 218 Palmetto, FL 34220

F 672

J6

Net Contents: 2.5 Gallons (9.46 liters) Net Wt.: 24 lbs. 8 ozs. (11.11 Kg)

SA-50 Brand Chelated Liquid Iron is intended for use in the correction and prevention of foliage yellowing due to iron deficiency of flowers, shrubs, trees, vegetables, and lawns.

USE PRECAUTIONS:

THIS PRODUCT WILL SEVERELY STAIN CONCRETE, MASONRY, AND PAINTED SURFACES.

Be extremely careful not to allow spray or runoff to contact with these materials. Do not mix with other fertilizers, fungicides or insecticides unless compatibility is known.

FIRST AID

IF SWALLOWED: Drink 2 glasses of water or milk and seek medical attention.

IF IN EYES: Flush eyes thoroughly with a large volume of water. If irritation persists seek medical attention.

IF ON SKIN: Rinse affected area with clear water and then wash thoroughly with soap and water.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING.

VEGETABLES AND FIELD CROPS:

Use 2 - 3 pints per 100 gallons of water. For young or sensitive plants, use at 1/2 rate.

CITRUS, APPLES, and other TREE CROPS:

Use 2 - 4 quarts per 500 gallons of dilute spray. For concentrate sprays, increase the amounts used in proportion to the dilution.

ORNAMENTALS (and young or sensitive crops):

Use 1-2 pints per 100 gallons of water.

DIRECTIONS FOR USE (CONTINUED)

LAWNS and TURF:

Use 2.5 - 5 gallons per acre (16 ounces per 1,000 sq. ft.). Apply in a sufficient volume of water to thoroughly wet the foliage and runoff into the root zone.

For monthly lawn and turf treatments, use 8 ounces per 1,000 sq. ft. Do not use more than 10 gallons per acre per year.

APPLICATION NOTES:

This material is compatible with most commonly used pesticides. If compatibility is unknown, test small amounts before large scale use. When using tank mixture, fill tank with water, add chelate, then add other materials.

The addition of a non-ionic surfactant and urea nitrogen will aid in the uptake of minor elements.

Note: Iron deficiency in many plants is an indication of high pH or alkaline soil. If yellowing persists or returns rapidly after treatment, soil pH should be checked and adjusted if necessary.

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, and back onto your lawn/garden.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions and precautions given herewith.

LOT NO.

