



TANK CLEANER

PRINCIPAL FUNCTIONING AGENTS:

Alkalinity builders, surfactants, anti-redeposition aid, corrosion inhibitor, formulation aids 100%
All ingredients exempt from tolerance under 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN

DANGER

Causes severe skin burns.
Causes serious eye damage.
Harmful if swallowed.
May be corrosive to metals.
See FIRST AID and Additional Precautionary Statements Below



Read Entire Label Before Using This Product

SHAKE WELL BEFORE USE

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
DANGER: Causes severe skin burns and serious eye damage. Harmful if swallowed or if inhaled. Do not get in eyes, on skin or on clothing. Do not eat, drink or smoke when using this product. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wash contaminated clothing before reuse. Avoid release to the environment.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear protective gloves, protective clothing, eye protection and face protection (such as goggles or face shield).

FIRST AID

IF ON SKIN (OR HAIR) OR CLOTHING:

- Take off immediately all contaminated clothing.
- Rinse skin or hair immediately with water or shower.
- Immediately call a poison control center or doctor. **IF IN**

EYES: • Rinse cautiously with water for 15 to 20 minutes.

- Remove contact lenses, if present and easy to do so. Continue rinsing.
- Immediately call a poison control center or doctor. **IF SWALLOWED:** • Rinse mouth.

• DO NOT induce vomiting. • Immediately call a poison control center or doctor. **IF INHALED:**

- Remove person to fresh air and keep comfortable for breathing.
- Immediately call a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

You may also call

CHEMTREC at 1-800-424-9300 for emergency

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

Do not contaminate water sources by cleaning of equipment or disposal of washwater.

Refer to back label for Directions for Use.

Southern Agricultural Insecticides, Inc.

P.O. Box 218 Palmetto, FL 34220 941-722-3285

Net Contents Liquid: 1 Quart (.946 liters)



USE INFORMATION for TANK CLEANER

This product is not highly corrosive to most sprayer tanks and equipment; however, it will remove large amounts of rust that could plug nozzles and screens or free up hidden cracks or leaks. Do not use this product on soft aluminum, brass, copper or other non-ferrous metals. Some pesticides such as 2,4-D and Dicamba, may leave persistent or hard to remove residues. For confirmation of acceptable residue removal conduct a rinsate test. See "RINSATE TESTING" below.

DIRECTIONS FOR USE

USE RATES AND CLEANING INSTRUCTIONS

Use 1 to 2 quarts of this product per 100 gallons of clean water as the cleaning solution. Ensure agitation and carefully clean the interior of the tank using a 360° rotation nozzle or pressure sprayer. Agitate and circulate for 15 minutes. Flush this cleaning solution through the boom, hoses and nozzles until tank is empty. Drain lines and pumps. Dispose of rinsate. Remove and clean out all strainers, filters, nozzles and nozzle screens by placing them in a bucket of water with one fluid ounce of this product per one gallon of water. Rinse thoroughly with clean water. Flush with clean water through entire system.

FOR SMALL HAND HELD SPRAYERS Use 1 fluid ounce of this product per gallon of rinse water. Agitate thoroughly, flush the cleaning solution through the system, drain and follow with a clean water rinse.

RINSATE TESTING (Only if confirmation of acceptable residue removal is needed)

After thorough cleaning of the sprayer, tank and lines using the procedures described above, collect the rinsate for residue analysis by laboratory or bioassay. For bioassay testing, a small amount of the rinsate is applied to sensitive vegetation such as Tomato. Observe the treated test plants for reaction for at least 48 hours. If no damage is observed on the test plants, properly dispose of rinsate.

STORAGE AND DISPOSAL

STORAGE: Store locked up and in original container. Do not allow chemicals or water to be introduced into contents of container. **PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal site. **CONTAINER HANDLING:** Do not reuse empty container. Recycle container or dispose of in a sanitary landfill.

WARRANTY - CONDITION OF SALE

Seller's guarantee shall be limited to the terms of the label. Subject thereto, the buyer assumes any risk to persons or property arising from use or handling and accepts the product on these conditions. To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE